


Vienna Safe Deposit Boxes & Safe Service Software

Security is our top priority!



## Contents



#### **About Burton Security**

- Your Trusted Global Partner
- 04

05

Our Values
• Our Mission

#### Independently Certified & Tested to the Limit

- Security Classes & Insurance Cover
- BRE & LPCB
- ECB·S

08

#### Safe Deposit Boxes

- Vienna System
- Locking Options
- Designs & Surfaces
- Safe Deposit Safes

#### 13

#### Safe Service

- Deposit Box Management System
- Market Leading Platform
- Additional Features

#### 17 Additional Security Products

- Armoured Doors
- · Window Security
- · Security Walling
- Access Control
- Counters & Screens
- Interlocking PODs
- Bullet Resistant Solutions

## Welcome to Burton Security

Do you have any questions?

Feel free to contact our expert team. We are happy to help you!

#### +44 (0) 1484 663388

enquiries@burtonsecurity.com



182 941

185,454

학원 군네

1

101.319

87.116

100.973

181.787

101.018

188,799

10962

102,153

## Your Trusted Global Partner in Physical Security

LOT 189

10.15

96.005

189,181

185 24

With 35 years' experience in the Physical Security sector, Burton Security is your trusted partner and specialist for vault rooms and safe deposit boxes.

With customers in the UK, Europe, the Middle East, Africa and Asia we have a truly global outlook and a wealth of experience delivering high security, tailor made solutions for our customers.



95 A C A

贈謂

100



We have the values of a family business, looking after our customers, our staff and our local environment. **We are proud of our Yorkshire heritage**, whilst retaining a global outlook.

### First and foremost, our mission is to deliver **Physical Security** to protect people, assets and the most prized possessions of our clients.

We believe in independent testing and certification of our products to UK & European standards. This is the best way to deliver the highest levels of proven security. We are also passionate about giving the customer what they want and finding the right solutions to their needs. The result is that we have become specialists in customised and tailor made solutions.

## Our Values, **Our Mission**



## Independently Certified & **Tested to the Limit**

Burton Security is passionate about the value and need of independent testing and certification. The UK and Europe lead the way with standards in our industry and we therefore support the use of EN1143-1 and LPS1175 for vaults and secure rooms. We only work with the most reputable of test and certification bodies ECBS and BRE.

Our certified vault rooms and vault doors offer the optimum of protection. We offer a wide range of security levels right to the very highest grade possible in the world today.



#### Burton Security & our supply chain are ISO9001 compliant.

From development and production through to customer service, the standard-compliant system ensures that all products delivered are of the same quality.



#### **BRE & LPCB Building Research Establishment & Loss Prevention Certification Board**



LPS1175 is the pre-eminent standard for physical security products in the UK. Used by Banks, Businesses, Critical Infrastructure and Government, it covers all elements of a building, including security walling and secure rooms. The LPCB mark not only tells you that the product has been successfully tested, but that the production is audited to ensure that real world production, matches the tested model.

www.redbooklive.com


#### **ECB·S – European Certification Board · Security System**



ECB-S is a globally recognized certification body for security products. The ECB-S label confirms the compliance of Burton Security products with the EN1143-1 European standard for burglary protection. It can be easily argued that EN1143-1 is the world's best and leading standard for vault rooms and safes. ECBS certification also includes regular factory audits to give you the assurance that the quality and security of your vault, matches exactly the models that were tested to EN1143-1.

www.ecb-s.com






**Standard Block** h x w x d 2060 x 310 x 460 mm **Case Block** h x w x d 2060 x 620 x 460 mm

Vienna System Safe Deposit Boxes Burton Vienna deposit boxes are manufactured as individual columns and assembled into systems on site. Each column can be divided into multiple individual lockers. Locker heights increase in multiples of 50mm from H50mm-H500mm

NOTE You can select your own column configuration, using the box sizes 1-10.



LSF0400

4 double boxes

Volume

Equipment

(I)

Box size Case block

Internal dimensions

(Hxx W575 D413mm)

9

106,5

448,5

a. sh."

10

118,4

498,5

a. sh."

| LSF0028<br>28 boxes                               | <b>LSF0024</b><br>24 boxes | <b>LSF0020</b><br>20 boxes | LSF0018<br>18 boxes | <b>LSF00</b> 1<br>16 boxe |       | F0012<br>boxes | <b>LSF0008</b><br>8 boxes | <b>LSF0004</b><br>4 boxes |
|---|----------------------------|----------------------------|---------------------|---------------------------|-------|----------------|---------------------------|---------------------------|
| Box size Standard block                           | 1                          | 2                          | 3                   | 4                         | 5     | 6              | 9                         | 10                        |
| Volume<br>(l)                                     | 5,3                        | 10,8                       | 16,2                | 21,7                      | 27,2  | 32,7           | 49,1                      | 54,6                      |
| Internal dimensions<br>(Hxx W265 D413 mm)         | 48,5                       | 98,5                       | 148,5               | 198,5                     | 248,5 | 298,5          | 448,5                     | 498,5                     |
| <b>Cassette dimensions</b><br>(Hxx W250 D355 mm)* | 43                         | 93                         | 143                 | 193                       | 243   | 293            | a. sh."                   | a. sh.**                  |

\*Add 30 mm to the specified cassette depth for the handle!

\*\*Adjustable shelf



Inner storage cassette

Each unit from size 1-6 is supplied with a portable inner box, complete with handle and lid. This can be optionally secured with a security tag. Sizes 9 & 10 are supplied with a removable shelf. Each standard box is designed to hold up to 10kg. Stronger boxes capable of holding 20kg, 30kg and even 150kg can be ordered on request.



9

## **Locking Options** Safe Deposit Boxes

Mechanical and electronic locking is available on all of the Vienna range. It is also possible to facilitate self-service access, using Biometric terminals and Safe Service software. This reduces ongoing staff and administration costs. Safe Service manages the full administration of your safe deposit business (see page 29 for more details)

**Dual Lock System:**To access a box two means of verification are always required. There is a bank key which is keyed alike and a second customer key which is unique to each box. When choosing electronic operation, the bank key is replaced by an electronic activation. A customer key is still required to make the final opening, retaining the dual control system.

Lock Options: The SSM140 Magnetic key offers a unique locking system that is impossible to copy at regular locksmith and key cutting stores.

The SSM120 Euro key system offers flexibility and ease of ongoing operation. Using a standard footprint half cylinder, its easy and simple to replace in the event of lost or stolen keys. Supplied as standard with our own restricted key section, its also possible for the bank or the end user to supply their own cylinders. The SSE120 electro-mechanical system offers one euro cylinder lock and the addition of an electronic lock. This gives increased security and the best of both worlds for the end user and the deposit centre operator. This is our most popular option and the market leading solution.

**Keys:** As standard we supply 2 bank keys per system and 2 customer keys per box.

## Traditional & Modern Safe Deposit Boxes

#### Mechanical

For mechanical operation a member of the bank staff must be present with the client to open the box. Both the customer and the bank key must be inserted to operate the lock.

#### Electronic

Electronically controlled boxes offer higher levels of security and an increased customer experience. The bank lock is replaced with an electronic version that can be activated via software by the bank staff or, by the end client using the biometric self-service terminals. The customer key is still used as the final method of opening.

All boxes are monitored on a live basis and the system can detect if a box has been opened/closed, left open too long, forced open or opened with the

Magnetic lock

mechanical (SSM 140)



Built-in half cylinder lock mechanical (SSM 120) | electronic (SSE 120)



**Biometric self-service access terminal** 



manual override. Furthermore all operations are logged in the system memory with a time & date making full compliance with the authorities simple and guaranteed.

Thus this system gives the best of all worlds, with a combination of electronic monitoring, biometric authentication and mechanical keys. Furthermore it allows self-service access, reducing operating costs and increasing customer accessibility.

## **Design &** Surfaces

Supplied as standard with galvansied steel doors and a stainless steel finishing plate. Bespoke painted finishes and special fundermax board colours are available on request.

Create a unique finish and experiece for your customers.



Standard version in stainless steel



Special edition in lightweight construction (compact panels)




Standard version in stainless steel



Special edition with fundermax covers

### **Safe Deposit Safes**

For smaller installations of under 100 boxes, its possible to use a special safe, instead of a vault room. This can reduce cost and maximise space, We can supply suitable safes in Grades II, III, IV & V with optional core drill and fire protection.









## Example Safe Deposit Safe **DWS1901S**

 EN1143-1 Burglary protection
 VdS
 Grade IV

 EN15659 Fire protection
 Grade IV + LFS30 LFS60 (optional)

 Class EN 4

**Door hinge** DIN right – Standard optional: DIN left

Door opening angle 180°

#### Safe Body

Double-walled, reinforced design, filled with ultra high density concrete and special steel armourings

#### **Door construction**

Triple-walled, reinforced design, filled with reinforced, highly resistant concrete and steel armouring

#### Locking

3 point moving boltwork + additional fixed bolts on the hinge side. The locking mechanism is protected by a glass plate that will activate additional locks if it is broken.

#### Alarm connections

VdS-certified pre-wiring for installation and connection to a intruder alarm system (IAS)

#### Coating

Grey: RAL 7037 Dusty Grey Optional: Choose any standard RAL colour or even special high gloss finishes

#### Locks

Choose from a variety of locking solutions including key, mechanical combination and electronic models. Each safe is equiped with 2 locks for added security.

#### Furnishing

Locker sizes can be individually planned in 50 mm increments as required. Special solutions on request.

## **Safe Service**

**Deposit Box Management System** 

## The Number One **Market leading platform**

Safe Service 6.0 is a secure solution for banks and private safe deposit centres. It takes over the entire control, administration and data management of a safe deposit box operation.

Safe Service uses biometric technology to give the option of self-service access to deposit boxes. Thus reducing operating costs, giving a more convenient user experience and increasing security.

Safe Service is the number one solution in the Austrian Banking sector, as well as boasting customers in the UK, Africa, the Middle East, Asia and South America.

Safe Service is so secure and flexible that it can be adapted to a wide variety of branch situations. Every workstation in the bank's network is able to access the data of the connected safe deposit boxes.

This facilitates both rentals and searches and enables staff to determine immediately whether and where a free box is available. The modern browser-based user interface does not even require a program installation on the respective PC.

### Strengths & Features

The advantages of Safe Service 6.0 are obvious.



Thanks to many years of experience, we have now adapated and perfected a system purely dedicated to the running of safe deposit box operations.



#### Modern and intuitive interface

Safe Service 6.0 features a user-friendly and intuitive interface that minimizes the training required for your employees. A simple and user friendly operation makes it possible to quickly gain an overview of the functions.



#### Simple integration and fast implementation

Safe Service 6.0 can be easily integrated into existing third-party systems and responds quickly to customer requests and feedback. Previous integrations include payment systems, booking systems, security systems and website interfaces.



#### Scalable at any time

Regardless of whether one or more branches are to be managed, subsequent scaling is possible at any time. Up to 65,000 safe deposit boxes can be electronically monitored and controlled per system.



#### Maximum security

Safe Service is controlled by a central database for all branches. To protect data from misuse, it is encrypted using SSL and HTTPS.



#### Maximum stability and trustworthiness

With an impressive stability of 99.9% over a period of more than 9 years, Safe Service 6.0 offers some of the highest availability on the market. You can count on a reliable application that is always ready for use.



#### **Reliable customer support**

Our team of experts is always available to provide you with fast and competent assistance - We have a dedicated support and software development team. Always working on new features, improvements and integrations. Annual updates and bug fixes are included as standard



## Additional Features

#### Contracting

- Customer data management (with photo & signature)
- ⊘ Contract management
- Supplementary insurance
- Specialized know-how

#### Documents

#### ⊘ Freely configurable as PDF

- Rental contracts, authorizations
- Invoices, credit notes
- Dunning, protocols
- SEPA and BACS integration for direct debits

#### Accounting

- Several configurable conditions
  - e.g. customer, employee, VIP -Fixed period or recurring contracts
  - Initial & permanent discount, key deposit
  - Optional integration of cloud-based payment processors
- ⊘ Automatic SEPA debiting Configurable
- ⊘ Configurable dunning cycles
- ⊘ Payment slip printing


#### **Statistics**

- ⊘ Contract dynamics
- ⊘ Finance



### Absolute security of your data CyberRisk Rating: 183 A WebRisk India

WebRisk Indicator: 135 A





## Available in Three Versions

Depending on individual requirements, we offer three different versions of Safe Service 6.0 to ensure a tailormade solution. This allows you to choose the option that best suits your needs.

| Standard  | Professional  | Premium   |
|---|---|---|
| Electronic control & monitoring *   | Electronic control & monitoring *   | Electronic control & monitoring *   |
| Protocols *   | Protocols *   | Protocols *   |
| X Management of customer data   | Management of customer data   | Management of customer data   |
| Contracting   | Ontracting  | Ontracting  |
| Self-service access   | Self-service access   | Self-service access   |
| × Documents   | Ocuments  | Ocuments  |
| <ul> <li>Payments - manual, direct debit,</li> <li>3rd party payment system integrations</li> </ul> | Payments - manual, direct debit,<br>3rd party payment system integrations | <ul> <li>Payments - manual, direct debit,</li> <li>3rd party payment system integrations</li> </ul> |
| Ninvoicing  | Ninvoicing  | O Invoicing   |

## **Additional Security Products**

We are your one stop shop for Physical security solutions



Armoured Doors



Window Security



Security Walling



Access Control



Counters & Screens



Interlocking PODs







Bullet resistant solutions



## Our growth is through design, innovation and investment in British engineering.

Our mission is to fortify the foundations of security by delivering forward-thinking physical security solutions. We are driven by a commitment to anticipate and adapt to evolving threats, providing our clients with proactive, cutting-edge security measures.

## BURTON SECURITY

enquiries@burtonsecurity.com Brockholes Business Park Rock Mill Road, Holmfirth, HD9 7BN

www.burtonsecurity.com

# BURTON **SECURITY**

Security is our top priority!

## Your personal contact

If you have any questions or technical concerns, our competent team is always on hand to help you in the shortest time possible.



Wayne Mack

Commercial & Project Sales Manager

wayne.mack@burtonsecurity.com + 44 01484 663388

www.burtonsecurity.com | +44 (0) 1484 663388 | enquiries@burtonsecurity.com Brockholes Business Park, Rock Mill Road, Holmfirth, HD9 7BN