

VIENNA SAFE DEPOSIT BOXES & SAFE SERVICE SOFTWARE

Security is our top priority



burtonsecurity.com

Contents

Your Trusted Global Partner	4
Our Values Our Mission	5
Independently Certified & Tested to the Limit	7
Security Classes & Insurance Cover BRE & LPCB ECB·S	
Safe Deposit Boxes	13
Vienna System Locking Options Designs & Surfaces Safe Deposit Safes	
Safe Service	23
Deposit Box Management System Market Leading Platform Additional Features	
Additional Security Products	31
Armoured Doors Window Security Security Walling Access Control Counters & Screens	



Welcome to Burton Security

Interlocking PODs
Bullet Resistant Solutions

Do you have any questions

Feel free to contact our expert team.

We are happy to help you!

~

+44 (0) 1484 663388

 \sim

enquiries@burtonsecurity.com





Our Values, Our Mission


We have the values of a family business, looking after our customers, our staff and our local environment. **We are proud of our Yorkshire heritage**, whilst retaining a global outlook.

First and foremost, our mission is to deliver **Physical Security** to protect people, assets and the most prized possessions of our clients.



We believe in independent testing and certification of our products to UK & European standards. This is the best way to deliver the highest levels of proven security.

We are also passionate about giving the customer what they want and finding the right solutions to their needs. The result is that we have become specialists in customised and tailor made solutions.





BRE & LPCB Building Research Establishment & Loss Prevention Certification Board



LPS1175 is the pre-eminent standard for physical security products in the UK. Used by Banks, Businesses, Critical Infrastructure and Government, it covers all elements of a building, including security walling and secure rooms. The LPCB mark not only tells you that the product has been successfully tested, but that the production is audited to ensure that real world production, matches the tested model.

www.redbooklive.com










ECB-S – European Certification Board · Security System



ECB-S is a globally recognized certification body for security products. The ECB-S label confirms the compliance of Burton Security products with the EN1143-1 European standard for burglary protection. It can be easily argued that EN1143-1 is the world's best and leading standard for vault rooms and safes. ECBS certification also includes regular factory audits to give you the assurance that the quality and security of your vault, matches exactly the models that were tested to EN1143-1.

www.ecb-s.com





Vienna SystemSafe Deposit Boxes

Burton Vienna deposit boxes are manufactured as individual columns and assembled into systems on site.

Standard Block

h x w x d 2060 x 310 x 460 mm


Each column can be divided into multiple individual lockers. Locker heights increase in multiples of 50mm from H50mm-H500mm

Case Block

h x w x d 2060 x 620 x 460 mm



NOTE You can select your own column configuration, using the box sizes 1-10.



0 0	
111 0 0	0.0
6 0	N 0 0
100	1 0 0
# /S/S/S/A	10.0
	10 O
	0 0
	. 0
38.3	
150 9 9	0 0
0	В

Inner storage cassette

Each unit from size 1- 6 is supplied with a portable inner box, complete with handle and lid. This can be optionally secured with a security tag. Sizes 9 & 10 are supplied with a removable shelf.

Each standard box is designed to hold up to 10kg. Stronger boxes capable of holding 20kg, 30kg and even 150kg can be ordered on request.

LSF0028	LSF0024	LSF0020	LSF0018	LSF0016	LSF0012	LSF0008	LSF0004
28 boxes	24 boxes	20 boxes	18 boxes	16 boxes	12 boxes	8 boxes	4 boxes

Box size Standard block	1	2	3	4	5	6	9	10
Volume (I)	5,3	10,8	16,2	21,7	27,2	32,7	49,1	54,6
Internal dimensions (Hxx W265 D413 mm)	48,5	98,5	148,5	198,5	248,5	298,5	448,5	498,5
Cassette dimensions (Hxx W250 D355 mm)*	43	93	143	193	243	293	a. sh.**	a. sh.**

LSF0400 4 double boxes

Box size Case block	9	10
Volume (I)	106,5	118,4
Internal dimensions (Hxx W575 D413mm)	448,5	498,5
Equipment	a. sh.**	a. sh."



^{*}Add 30 mm to the specified cassette depth for the handle!

^{**}Adjustable shelf

Locking Options

Safe Deposit Boxes

Mechanical and electronic locking is available on all of the Vienna range.

It is also possible to facilitate self-service access, using Biometric terminals and Safe Service software. This reduces ongoing staff and administration costs.

Safe Service manages the full administration of your safe deposit business.

(see page 23 for more details)

Dual Lock System:

To access a box two means of verification are always required. There is a bank key which is keyed alike and a second customer key which is unique to each box.

When choosing electronic operation, the bank key is replaced by an electronic activation. A customer key is still required to make the final opening, retaining the dual control system.

Lock Options:

The SSM140 Magnetic key offers a unique locking system that is impossible to copy at regular locksmith and key cutting stores.

The SSM120 Euro key system offers flexibility and ease of ongoing operation. Using a standard footprint half cylinder, its easy and simple to replace in the event of lost or stolen keys. Supplied as standard with our own restricted key section, its also possible for the bank or the end user to supply their own cylinders.

The SSE120 electro-mechanical system offers one euro cylinder lock and the addition of an electronic lock. This gives increased security and the best of both worlds for the end user and the deposit centre operator. This is our most popular option and the market leading solution.

Keys:

As standard we supply 2 bank keys per system and 2 customer keys per box.

Traditional & Modern

Safe Deposit Boxes

Mechanical

For mechanical operation a member of the bank staff must be present with the client to open the box. Both the customer and the bank key must be inserted to operate the lock.

Magnetic lock mechanical (SSM 140)



Built-in half cylinder lock mechanical (SSM 120) | electronic (SSE 120)



Electronic

Electronically controlled boxes offer higher levels of security and an increased customer experience. The bank lock is replaced with an electronic version that can be activated via software by the bank staff or, by the end client using the biometric self-service terminals. The customer key is still used as the final method of opening.

Biometric self-service access terminal



All boxes are monitored on a live basis and the system can detect if a box has been opened/closed, left open too long, forced open or opened with the manual override. Furthermore all operations are logged in the system memory with a time & date making full compliance with the authorities simple and guaranteed.

Thus this system gives the best of all worlds, with a combination of electronic monitoring, biometric authentication and mechanical keys. Furthermore it allows self-service access, reducing operating costs and increasing customer accessibility.

Design &

Surfaces

Supplied as standard with galvansied steel doors and a stainless steel finishing plate.

On request we can offer RAL painted finishes, special textured fundermax board and coloured stainless steel.

We are also able to offer an optional anti-fingerprint treatment to our coloured stainless steels.



Standard version in stainless steel



Create a unique finish and experiece for your customers.

Bespoke painted doors



Steel Oro Pallinato

Steel Champagne Pallinato

Steel Bronzo Satinato




Bespoke coloured stainless steel finishes



Special edition Fundermax covers with doors in Charcoal Grey & trims in Champagne Bronze

Safe Deposit Safes

For smaller installations of under 100 boxes, its possible to use a special safe, instead of a vault room. This can reduce cost and maximise space. We can supply suitable safes in Grades II, III, IV & V with optional core drill and fire protection.







Example Safe Deposit Safe **DWS1901S**



EN1143-1 Burglary protection



Grade IV



EN15659 Fire protection



Grade IV + LFS30 LFS60 (optional)



Class EN 4

Door hinge

DIN right – Standard optional: DIN left

Door opening angle

180°

Safe Body

Double-walled, reinforced design, filled with ultra high density concrete and special steel armourings

Door construction

Triple-walled, reinforced design, filled with reinforced, highly resistant concrete and steel armouring

Locking

3 point moving boltwork + additional fixed bolts on the hinge side.

The locking mechanism is protected by a glass plate that will activate additional locks if it is broken.

Alarm connections

VdS-certified pre-wiring for installation and connection to a intruder alarm system (IAS)

Coating

Grey: RAL 7037 Dusty Grey
Optional: Choose any standard RAL
colour or even special high gloss finishes

l ocks

Choose from a variety of locking solutions including key, mechanical combination and electronic models. Each safe is equiped with 2 locks for added security.

Furnishing

Locker sizes can be individually planned in 50 mm increments as required. Special solutions on request.

Safe Service

Deposit Box Management System



The Number One Market leading platform

Safe Service 6.0 is a secure solution for banks and private safe deposit centres. It takes over the entire control, administration and data management of a safe deposit box operation.

Safe Service uses biometric technology to give the option of self-service access to deposit boxes. Thus reducing operating costs, giving a more convenient user experience and increasing security.

Safe Service is the number one solution in the Austrian Banking sector, as well as boasting customers in the UK, Africa, the Middle East, Asia and South America.

Safe Service is so secure and flexible that it can be adapted to a wide variety of branch situations. Every workstation in the bank's network is able to access the data of the connected safe deposit boxes.

This facilitates both rentals and searches and enables staff to determine immediately whether and where a free box is available. The modern browser-based user interface does not even require a program installation on the respective PC.

Strengths & Features

The advantages of Safe Service 6.0 are obvious.



Thanks to many years of experience, we have now adapated and perfected a system purely dedicated to the running of safe deposit box operations.



Modern and intuitive interface

Safe Service 6.0 features a user-friendly and intuitive interface that minimizes the training required for your employees. A simple and user friendly operation makes it possible to quickly gain an overview of the functions.



Simple integration and fast implementation

Safe Service 6.0 can be easily integrated into existing third-party systems and responds quickly to customer requests and feedback. Previous integrations include payment systems, booking systems, security systems and website interfaces.



Scalable at any time

Regardless of whether one or more branches are to be managed, subsequent scaling is possible at any time. Up to 65,000 safe deposit boxes can be electronically monitored and controlled per system.



Maximum security

Safe Service is controlled by a central database for all branches. To protect data from misuse, it is encrypted using SSL and HTTPS.



Maximum stability and trustworthiness

With an impressive stability of 99.9% over a period of more than 9 years, Safe Service 6.0 offers some of the highest availability on the market. You can count on a reliable application that is always ready for use.



Reliable customer support

Our team of experts is always available to provide you with fast and competent assistance - We have a dedicated support and software development team. Always working on new features, improvements and integrations. Annual updates and bug fixes are included as standard



CyberRisk Rating by KSV1870

183 A

Absolute security of your data

CyberRisk Rating: 183 A



WebRisk Indicator: 135 A

Additional **Features**

Contracting

- Customer data management (with photo & signature)
- Contract management
- Supplementary insurance
- Specialized know-how

Accounting

- Several configurable conditions
 - · e.g. customer, employee, VIP
 - Fixed period or recurring contracts
 - · Initial & permanent discount, key deposit
 - Optional integration of cloud-based payment processors
- Automatic SEPA debiting Configurable
- Configurable dunning cycles
- Payment slip printing

Documents

- Freely configurable as PDF
 - · Rental contracts, authorizations
 - · Invoices, credit notes
 - · Dunning, protocols
 - SEPA and BACS integration for direct debits

Statistics

- Contract dynamics
- Access (Manual and self-service)





Available in Three Versions

Depending on individual requirements, we offer three different versions of Safe Service 6.0 to ensure a tailor-made solution. This allows you to choose the option that best suits your needs.

Standard Electronic control & monitoring * Protocols * Management of customer data Contracting Self-service access Documents Payments - manual, direct debit, 3rd party payment system integrations Invoicing

	Professional
⊘	Electronic control & monitoring *
②	Protocols *
⊙	Management of customer data
②	Contracting
②	Self-service access
⊘	Documents
×	Payments - manual, direct debit, 3rd party payment system integrations
×	Invoicing

	Premium
0	Electronic control & monitoring *
②	Protocols *
⊘	Management of customer data
\odot	Contracting
\odot	Self-service access
\odot	Documents
⊘	Payments - manual, direct debit, 3rd party payment system integrations
\odot	Invoicing

^{*}Only possible when connected to a Vienna deposit box system

Additional Security Products

We are your one stop shop for Physical security solutions



Armoured Doors



Access Control



Window Security



Counters & Screens



Security Walling




Interlocking PODs





BALLISTIC

Bullet resistant solutions



Our growth is through design, innovation and investment in British engineering.

Our mission is to fortify the foundations of security by delivering forward-thinking physical security solutions. We are driven by a commitment to anticipate and adapt to evolving threats, providing our clients with proactive, cutting-edge security measures.

Your personal contact



If you have any questions or technical concerns, our competent team is always on hand to help you in the shortest time possible.

Wayne Mack

Commercial & Project Sales Manager

wayne.mack@burtonsecurity.com + 44 01484 663388

VIENNA SAFE DEPOSIT BOXES & SAFE SERVICE SOFTWARE

Security is our top priority







7/10/202